

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	1	5
		% within Sex	.5%	.4%	.5%
	2-4	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	5-12	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	13-19	Count	16	10	26
		% within Sex	2.1%	4.1%	2.6%
	20-24	Count	78	27	105
		% within Sex	10.3%	11.2%	10.6%
	25-29	Count	117	44	161
		% within Sex	15.5%	18.3%	16.2%
	30-34	Count	134	47	181
		% within Sex	17.8%	19.5%	18.2%
	35-39	Count	150	46	196
		% within Sex	19.9%	19.1%	19.7%
	40-44	Count	122	22	144
		% within Sex	16.2%	9.1%	14.5%
	45-49	Count	69	26	95
		% within Sex	9.2%	10.8%	9.5%
	50-54	Count	34	14	48
		% within Sex	4.5%	5.8%	4.8%
	55-59	Count	15	2	17
		% within Sex	2.0%	.8%	1.7%
	60-64	Count	9	0	9
		% within Sex	1.2%	.0%	.9%
	65-69	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	70+	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Unknown	Count	2	0	2
		% within Sex	.3%	.0%	.2%
Total		Count	754	241	995
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	355	39	394
		% within Sex	47.1%	16.2%	39.6%
	African American	Count	241	164	405
		% within Sex	32.0%	68.0%	40.7%
	Hispanic	Count	140	32	172
		% within Sex	18.6%	13.3%	17.3%
	Asian-Pacific Islander	Count	13	4	17
		% within Sex	1.7%	1.7%	1.7%
	Am Indian-Alaskan	Count	2	1	3
		% within Sex	.3%	.4%	.3%
	Not Specified	Count	3	1	4
		% within Sex	.4%	.4%	.4%
	Total	Count	754	241	995
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	476	0	476
		% within Sex	63.1%	.0%	47.8%
	IDU	Count	24	21	45
		% within Sex	3.2%	8.7%	4.5%
	M-M & IDU	Count	10	0	10
		% within Sex	1.3%	.0%	1.0%
	Heterosexual Contact	Count	6	49	55
		% within Sex	.8%	20.3%	5.5%
	Transfusion	Count	1	2	3
		% within Sex	.1%	.8%	.3%
	Not Classified	Count	231	167	398
		% within Sex	30.6%	69.3%	40.0%
	Ped Parent at Risk	Count	6	2	8
		% within Sex	.8%	.8%	.8%
	Total	Count	754	241	995
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	0	393	1	394
		% within Adult-Ped	.0%	39.9%	50.0%	39.6%
	African American	Count	6	398	1	405
		% within Adult-Ped	75.0%	40.4%	50.0%	40.7%
	Hispanic	Count	2	170	0	172
		% within Adult-Ped	25.0%	17.3%	.0%	17.3%
	Asian-Pacific Islander	Count	0	17	0	17
		% within Adult-Ped	.0%	1.7%	.0%	1.7%
	Am Indian-Alaskan	Count	0	3	0	3
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	4	0	4
		% within Adult-Ped	.0%	.4%	.0%	.4%
Total	Count	8	985	2	995	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. HSDA = Dallas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	.1%	.4%	.1%
	5-12	Count	1	1	2
		% within Sex	.1%	.4%	.1%
	13-19	Count	18	15	33
		% within Sex	1.7%	5.3%	2.4%
	20-24	Count	88	32	120
		% within Sex	8.1%	11.3%	8.8%
	25-29	Count	113	45	158
		% within Sex	10.4%	16.0%	11.6%
	30-34	Count	192	44	236
		% within Sex	17.7%	15.6%	17.3%
	35-39	Count	249	60	309
		% within Sex	23.0%	21.3%	22.7%
	40-44	Count	209	51	260
		% within Sex	19.3%	18.1%	19.1%
	45-49	Count	105	14	119
		% within Sex	9.7%	5.0%	8.7%
	50-54	Count	58	9	67
		% within Sex	5.4%	3.2%	4.9%
	55-59	Count	35	2	37
		% within Sex	3.2%	.7%	2.7%
	60-64	Count	8	5	13
		% within Sex	.7%	1.8%	1.0%
	65-69	Count	1	1	2
		% within Sex	.1%	.4%	.1%
	70+	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Unknown	Count	3	2	5
		% within Sex	.3%	.7%	.4%
Total		Count	1082	282	1364
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	575	78	653
		% within Sex	53.1%	27.7%	47.9%
	African American	Count	325	169	494
		% within Sex	30.0%	59.9%	36.2%
	Hispanic	Count	165	33	198
		% within Sex	15.2%	11.7%	14.5%
	Asian-Pacific Islander	Count	9	1	10
		% within Sex	.8%	.4%	.7%
	Am Indian-Alaskan	Count	2	1	3
		% within Sex	.2%	.4%	.2%
	Not Specified	Count	6	0	6
		% within Sex	.6%	.0%	.4%
	Total	Count	1082	282	1364
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	762	0	762
		% within Sex	70.4%	.0%	55.9%
	IDU	Count	46	36	82
		% within Sex	4.3%	12.8%	6.0%
	M-M & IDU	Count	36	0	36
		% within Sex	3.3%	.0%	2.6%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	30	139	169
		% within Sex	2.8%	49.3%	12.4%
	Transfusion	Count	2	3	5
		% within Sex	.2%	1.1%	.4%
	Not Classified	Count	203	102	305
		% within Sex	18.8%	36.2%	22.4%
	Ped Parent at Risk	Count	2	2	4
		% within Sex	.2%	.7%	.3%
	Total	Count	1082	282	1364
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	0	652	1	653
		% within Adult-Ped	.0%	48.1%	20.0%	47.9%
	African American	Count	4	487	3	494
		% within Adult-Ped	100.0%	35.9%	60.0%	36.2%
	Hispanic	Count	0	197	1	198
		% within Adult-Ped	.0%	14.5%	20.0%	14.5%
	Asian-Pacific Islander	Count	0	10	0	10
		% within Adult-Ped	.0%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	0	3	0	3
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	6	0	6
		% within Adult-Ped	.0%	.4%	.0%	.4%
	Total	Count	4	1355	5	1364
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Dallas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	19	14	33
		% within Sex	.5%	1.3%	.7%
	1 (12-23 mo)	Count	1	4	5
		% within Sex	.0%	.4%	.1%
	2-4	Count	5	2	7
		% within Sex	.1%	.2%	.1%
	5-12	Count	9	5	14
		% within Sex	.2%	.5%	.3%
	13-19	Count	54	75	129
		% within Sex	1.5%	7.2%	2.7%
	20-24	Count	326	145	471
		% within Sex	8.8%	13.9%	9.9%
	25-29	Count	553	185	738
		% within Sex	14.9%	17.7%	15.6%
	30-34	Count	724	182	906
		% within Sex	19.6%	17.4%	19.1%
	35-39	Count	823	178	1001
		% within Sex	22.2%	17.1%	21.1%
	40-44	Count	586	118	704
		% within Sex	15.8%	11.3%	14.8%
	45-49	Count	309	64	373
		% within Sex	8.3%	6.1%	7.9%
	50-54	Count	158	45	203
		% within Sex	4.3%	4.3%	4.3%
	55-59	Count	81	12	93
		% within Sex	2.2%	1.2%	2.0%
	60-64	Count	36	7	43
		% within Sex	1.0%	.7%	.9%
65-69	Count	8	4	12	
	% within Sex	.2%	.4%	.3%	
70+	Count	4	1	5	
	% within Sex	.1%	.1%	.1%	
Unknown	Count	5	2	7	
	% within Sex	.1%	.2%	.1%	
Total		Count	3701	1043	4744
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1881	213	2094
		% within Sex	50.8%	20.4%	44.1%
	African American	Count	1182	675	1857
		% within Sex	31.9%	64.7%	39.1%
	Hispanic	Count	569	144	713
		% within Sex	15.4%	13.8%	15.0%
	Asian-Pacific Islander	Count	41	6	47
		% within Sex	1.1%	.6%	1.0%
	Am Indian-Alaskan	Count	13	3	16
		% within Sex	.4%	.3%	.3%
	Not Specified	Count	15	2	17
		% within Sex	.4%	.2%	.4%
	Total	Count	3701	1043	4744
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2524	0	2524
		% within Sex	68.2%	.0%	53.2%
	IDU	Count	144	148	292
		% within Sex	3.9%	14.2%	6.2%
	M-M & IDU	Count	190	0	190
		% within Sex	5.1%	.0%	4.0%
	Hemophiliac	Count	3	0	3
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	88	318	406
		% within Sex	2.4%	30.5%	8.6%
	Transfusion	Count	6	7	13
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	712	545	1257
		% within Sex	19.2%	52.3%	26.5%
	Ped Hemophiliac	Count	5	0	5
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	28	23	51
		% within Sex	.8%	2.2%	1.1%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.0%	.1%	.0%
	Total	Count	3701	1043	4744
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	13	2079	2	2094
		% within Adult-Ped	22.0%	44.4%	28.6%	44.1%
	African American	Count	33	1820	4	1857
		% within Adult-Ped	55.9%	38.9%	57.1%	39.1%
	Hispanic	Count	12	700	1	713
		% within Adult-Ped	20.3%	15.0%	14.3%	15.0%
	Asian-Pacific Islander	Count	1	46	0	47
		% within Adult-Ped	1.7%	1.0%	.0%	1.0%
	Am Indian-Alaskan	Count	0	16	0	16
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	17	0	17
		% within Adult-Ped	.0%	.4%	.0%	.4%
	Total	Count	59	4678	7	4744
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Dallas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	18	14	32
		% within Sex	.5%	1.4%	.7%
	1 (12-23 mo)	Count	1	4	5
		% within Sex	.0%	.4%	.1%
	2-4	Count	5	2	7
		% within Sex	.1%	.2%	.2%
	5-12	Count	9	4	13
		% within Sex	.2%	.4%	.3%
	13-19	Count	54	75	129
		% within Sex	1.5%	7.3%	2.8%
	20-24	Count	324	143	467
		% within Sex	8.9%	13.9%	10.0%
	25-29	Count	548	185	733
		% within Sex	15.1%	18.0%	15.7%
	30-34	Count	718	180	898
		% within Sex	19.8%	17.5%	19.3%
	35-39	Count	807	174	981
		% within Sex	22.2%	16.9%	21.0%
	40-44	Count	577	117	694
		% within Sex	15.9%	11.4%	14.9%
	45-49	Count	299	62	361
		% within Sex	8.2%	6.0%	7.7%
	50-54	Count	148	44	192
		% within Sex	4.1%	4.3%	4.1%
	55-59	Count	78	12	90
		% within Sex	2.1%	1.2%	1.9%
	60-64	Count	33	7	40
		% within Sex	.9%	.7%	.9%
	65-69	Count	7	4	11
		% within Sex	.2%	.4%	.2%
	70+	Count	3	1	4
		% within Sex	.1%	.1%	.1%
	Unknown	Count	5	2	7
		% within Sex	.1%	.2%	.2%
Total		Count	3634	1030	4664
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	1	2
		% within Sex	.0%	.1%	.0%
	1 (12-23 mo)	Count	2	0	2
		% within Sex	.1%	.0%	.0%
	2-4	Count	8	5	13
		% within Sex	.2%	.5%	.3%
	5-12	Count	13	12	25
		% within Sex	.4%	1.2%	.5%
	13-19	Count	25	32	57
		% within Sex	.7%	3.1%	1.2%
	20-24	Count	172	106	278
		% within Sex	4.7%	10.3%	6.0%
	25-29	Count	409	174	583
		% within Sex	11.3%	16.9%	12.5%
	30-34	Count	612	191	803
		% within Sex	16.8%	18.5%	17.2%
	35-39	Count	823	177	1000
		% within Sex	22.6%	17.2%	21.4%
	40-44	Count	741	156	897
		% within Sex	20.4%	15.1%	19.2%
	45-49	Count	430	84	514
		% within Sex	11.8%	8.2%	11.0%
	50-54	Count	214	48	262
		% within Sex	5.9%	4.7%	5.6%
	55-59	Count	106	25	131
		% within Sex	2.9%	2.4%	2.8%
	60-64	Count	51	12	63
		% within Sex	1.4%	1.2%	1.4%
	65-69	Count	19	4	23
		% within Sex	.5%	.4%	.5%
	70+	Count	7	2	9
		% within Sex	.2%	.2%	.2%
	Unknown	Count	1	1	2
		% within Sex	.0%	.1%	.0%
Total		Count	3634	1030	4664
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1850	210	2060
		% within Sex	50.9%	20.4%	44.2%
	African American	Count	1156	667	1823
		% within Sex	31.8%	64.8%	39.1%
	Hispanic	Count	561	143	704
		% within Sex	15.4%	13.9%	15.1%
	Asian-Pacific Islander	Count	41	5	46
		% within Sex	1.1%	.5%	1.0%
	Am Indian-Alaskan	Count	11	3	14
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	15	2	17
		% within Sex	.4%	.2%	.4%
	Total	Count	3634	1030	4664
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2490	0	2490
		% within Sex	68.5%	.0%	53.4%
	IDU	Count	139	146	285
		% within Sex	3.8%	14.2%	6.1%
	M-M & IDU	Count	187	0	187
		% within Sex	5.1%	.0%	4.0%
	Hemophiliac	Count	3	0	3
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	87	316	403
		% within Sex	2.4%	30.7%	8.6%
	Transfusion	Count	6	7	13
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	689	537	1226
		% within Sex	19.0%	52.1%	26.3%
	Ped Hemophiliac	Count	5	0	5
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	27	22	49
		% within Sex	.7%	2.1%	1.1%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.0%	.1%	.0%
	Total	Count	3634	1030	4664
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	12	2046	2	2060
		% within Adult-Ped	21.1%	44.5%	28.6%	44.2%
	African American	Count	32	1787	4	1823
		% within Adult-Ped	56.1%	38.8%	57.1%	39.1%
	Hispanic	Count	12	691	1	704
		% within Adult-Ped	21.1%	15.0%	14.3%	15.1%
	Asian-Pacific Islander	Count	1	45	0	46
		% within Adult-Ped	1.8%	1.0%	.0%	1.0%
	Am Indian-Alaskan	Count	0	14	0	14
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	17	0	17
		% within Adult-Ped	.0%	.4%	.0%	.4%
	Total	Count	57	4600	7	4664
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Dallas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2	2	4
		% within Sex	.3%	1.2%	.5%
	20-24	Count	22	5	27
		% within Sex	3.4%	2.9%	3.3%
	25-29	Count	57	24	81
		% within Sex	8.9%	14.0%	10.0%
	30-34	Count	100	23	123
		% within Sex	15.7%	13.5%	15.2%
	35-39	Count	173	51	224
		% within Sex	27.1%	29.8%	27.7%
	40-44	Count	139	23	162
		% within Sex	21.8%	13.5%	20.0%
	45-49	Count	71	16	87
		% within Sex	11.1%	9.4%	10.8%
	50-54	Count	36	13	49
		% within Sex	5.6%	7.6%	6.1%
	55-59	Count	22	8	30
		% within Sex	3.4%	4.7%	3.7%
	60-64	Count	10	4	14
		% within Sex	1.6%	2.3%	1.7%
	65-69	Count	1	1	2
		% within Sex	.2%	.6%	.2%
	70+	Count	4	1	5
		% within Sex	.6%	.6%	.6%
	Unknown	Count	1	0	1
		% within Sex	.2%	.0%	.1%
Total	Count	638	171	809	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Dallas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	270	27	297
		% within Sex	42.3%	15.8%	36.7%
	African American	Count	229	118	347
		% within Sex	35.9%	69.0%	42.9%
	Hispanic	Count	129	24	153
		% within Sex	20.2%	14.0%	18.9%
	Asian-Pacific Islander	Count	9	1	10
		% within Sex	1.4%	.6%	1.2%
	Am Indian-Alaskan	Count	1	1	2
		% within Sex	.2%	.6%	.2%
Total	Count	638	171	809	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	413	0	413
		% within Sex	64.7%	.0%	51.1%
	IDU	Count	32	17	49
		% within Sex	5.0%	9.9%	6.1%
	M-M & IDU	Count	23	0	23
		% within Sex	3.6%	.0%	2.8%
	Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	Heterosexual Contact	Count	14	38	52
		% within Sex	2.2%	22.2%	6.4%
	Transfusion	Count	1	3	4
		% within Sex	.2%	1.8%	.5%
	Not Classified	Count	154	113	267
		% within Sex	24.1%	66.1%	33.0%
Total	Count	638	171	809	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Dallas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	296	1	297
		% within Adult-Ped	36.6%	100.0%	36.7%
	African American	Count	347	0	347
		% within Adult-Ped	42.9%	.0%	42.9%
	Hispanic	Count	153	0	153
		% within Adult-Ped	18.9%	.0%	18.9%
	Asian-Pacific Islander	Count	10	0	10
		% within Adult-Ped	1.2%	.0%	1.2%
	Am Indian-Alaskan	Count	2	0	2
		% within Adult-Ped	.2%	.0%	.2%
	Total	Count	808	1	809
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Dallas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2	1	3
		% within Sex	.4%	.8%	.4%
	20-24	Count	21	5	26
		% within Sex	3.7%	3.9%	3.8%
	25-29	Count	51	18	69
		% within Sex	9.1%	14.2%	10.0%
	30-34	Count	115	36	151
		% within Sex	20.5%	28.3%	21.9%
	35-39	Count	144	27	171
		% within Sex	25.7%	21.3%	24.9%
	40-44	Count	105	14	119
		% within Sex	18.7%	11.0%	17.3%
	45-49	Count	61	9	70
		% within Sex	10.9%	7.1%	10.2%
	50-54	Count	37	11	48
		% within Sex	6.6%	8.7%	7.0%
	55-59	Count	15	4	19
		% within Sex	2.7%	3.1%	2.8%
	60-64	Count	5	1	6
		% within Sex	.9%	.8%	.9%
	65-69	Count	3	1	4
		% within Sex	.5%	.8%	.6%
	70+	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	Unknown	Count	1	0	1
		% within Sex	.2%	.0%	.1%
Total	Count	561	127	688	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Dallas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	246	21	267
		% within Sex	43.9%	16.5%	38.8%
	African American	Count	206	87	293
		% within Sex	36.7%	68.5%	42.6%
	Hispanic	Count	107	17	124
		% within Sex	19.1%	13.4%	18.0%
	Asian-Pacific Islander	Count	2	2	4
		% within Sex	.4%	1.6%	.6%
	Total		Count	561	127
			% within Sex	100.0%	100.0%

a. HSDA = Dallas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	355	0	355
		% within Sex	63.3%	.0%	51.6%
	IDU	Count	38	11	49
		% within Sex	6.8%	8.7%	7.1%
	M-M & IDU	Count	22	0	22
		% within Sex	3.9%	.0%	3.2%
	Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	Heterosexual Contact	Count	16	54	70
		% within Sex	2.9%	42.5%	10.2%
	Transfusion	Count	2	4	6
		% within Sex	.4%	3.1%	.9%
	Not Classified	Count	127	57	184
		% within Sex	22.6%	44.9%	26.7%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.8%	.1%
Total	Count	561	127	688	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Dallas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	266	1	267
		% within Adult-Ped	38.7%	100.0%	38.8%
	African American	Count	293	0	293
		% within Adult-Ped	42.6%	.0%	42.6%
	Hispanic	Count	124	0	124
		% within Adult-Ped	18.0%	.0%	18.0%
	Asian-Pacific Islander	Count	4	0	4
		% within Adult-Ped	.6%	.0%	.6%
Total	Count	687	1	688	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Dallas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	8	7	15
		% within Sex	.1%	.5%	.1%
	1 (12-23 mo)	Count	6	1	7
		% within Sex	.0%	.1%	.0%
	2-4	Count	4	4	8
		% within Sex	.0%	.3%	.1%
	5-12	Count	6	3	9
		% within Sex	.0%	.2%	.1%
	13-19	Count	40	21	61
		% within Sex	.3%	1.4%	.4%
	20-24	Count	472	114	586
		% within Sex	3.6%	7.8%	4.0%
	25-29	Count	2097	250	2347
		% within Sex	15.9%	17.1%	16.0%
	30-34	Count	3413	291	3704
		% within Sex	25.8%	19.9%	25.2%
	35-39	Count	3153	310	3463
		% within Sex	23.9%	21.2%	23.6%
	40-44	Count	1950	190	2140
		% within Sex	14.8%	13.0%	14.6%
	45-49	Count	1048	112	1160
		% within Sex	7.9%	7.7%	7.9%
	50-54	Count	535	67	602
		% within Sex	4.0%	4.6%	4.1%
	55-59	Count	278	39	317
		% within Sex	2.1%	2.7%	2.2%
	60-64	Count	115	26	141
		% within Sex	.9%	1.8%	1.0%
	65-69	Count	59	9	68
		% within Sex	.4%	.6%	.5%
	70+	Count	34	17	51
		% within Sex	.3%	1.2%	.3%
	Unknown	Count	2	0	2
		% within Sex	.0%	.0%	.0%
Total		Count	13220	1461	14681
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	8374	386	8760
		% within Sex	63.3%	26.4%	59.7%
	African American	Count	3182	883	4065
		% within Sex	24.1%	60.4%	27.7%
	Hispanic	Count	1560	170	1730
		% within Sex	11.8%	11.6%	11.8%
	Asian-Pacific Islander	Count	66	15	81
		% within Sex	.5%	1.0%	.6%
	Am Indian-Alaskan	Count	36	5	41
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	2	2	4
		% within Sex	.0%	.1%	.0%
	Total	Count	13220	1461	14681
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	10188	0	10188
		% within Sex	77.1%	.0%	69.4%
	IDU	Count	757	368	1125
		% within Sex	5.7%	25.2%	7.7%
	M-M & IDU	Count	1067	0	1067
		% within Sex	8.1%	.0%	7.3%
	Hemophiliac	Count	36	0	36
		% within Sex	.3%	.0%	.2%
	Heterosexual Contact	Count	279	543	822
		% within Sex	2.1%	37.2%	5.6%
	Transfusion	Count	82	79	161
		% within Sex	.6%	5.4%	1.1%
	Not Classified	Count	777	455	1232
		% within Sex	5.9%	31.1%	8.4%
	Ped Hemophiliac	Count	10	0	10
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	17	13	30
		% within Sex	.1%	.9%	.2%
	Ped Transfusion	Count	7	2	9
		% within Sex	.1%	.1%	.1%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Total	Count	13220	1461	14681
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	13	8745	2	8760
		% within Adult-Ped	33.3%	59.7%	100.0%	59.7%
	African American	Count	20	4045	0	4065
		% within Adult-Ped	51.3%	27.6%	.0%	27.7%
	Hispanic	Count	5	1725	0	1730
		% within Adult-Ped	12.8%	11.8%	.0%	11.8%
	Asian-Pacific Islander	Count	1	80	0	81
		% within Adult-Ped	2.6%	.5%	.0%	.6%
	Am Indian-Alaskan	Count	0	41	0	41
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	4	0	4
		% within Adult-Ped	.0%	.0%	.0%	.0%
	Total	Count	39	14640	2	14681
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Dallas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	4	7
		% within Sex	.1%	.4%	.1%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	2-4	Count	1	1	2
		% within Sex	.0%	.1%	.0%
	5-12	Count	3	2	5
		% within Sex	.1%	.2%	.1%
	13-19	Count	28	18	46
		% within Sex	.5%	1.8%	.7%
	20-24	Count	216	77	293
		% within Sex	3.6%	7.6%	4.2%
	25-29	Count	811	170	981
		% within Sex	13.5%	16.8%	14.0%
	30-34	Count	1500	211	1711
		% within Sex	25.0%	20.8%	24.4%
	35-39	Count	1537	232	1769
		% within Sex	25.6%	22.9%	25.2%
	40-44	Count	958	121	1079
		% within Sex	16.0%	11.9%	15.4%
	45-49	Count	495	81	576
		% within Sex	8.3%	8.0%	8.2%
	50-54	Count	238	48	286
		% within Sex	4.0%	4.7%	4.1%
	55-59	Count	123	24	147
		% within Sex	2.1%	2.4%	2.1%
	60-64	Count	55	13	68
		% within Sex	.9%	1.3%	1.0%
	65-69	Count	17	6	23
		% within Sex	.3%	.6%	.3%
	70+	Count	6	5	11
		% within Sex	.1%	.5%	.2%
	Unknown	Count	2	0	2
		% within Sex	.0%	.0%	.0%
Total		Count	5993	1014	7007
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	2	3	5
		% within Sex	.0%	.3%	.1%
	13-19	Count	6	4	10
		% within Sex	.1%	.4%	.1%
	20-24	Count	48	20	68
		% within Sex	.8%	2.0%	1.0%
	25-29	Count	192	99	291
		% within Sex	3.2%	9.8%	4.2%
	30-34	Count	569	155	724
		% within Sex	9.5%	15.3%	10.3%
	35-39	Count	1264	226	1490
		% within Sex	21.1%	22.3%	21.3%
	40-44	Count	1658	209	1867
		% within Sex	27.7%	20.6%	26.6%
	45-49	Count	1099	122	1221
		% within Sex	18.3%	12.0%	17.4%
	50-54	Count	607	85	692
		% within Sex	10.1%	8.4%	9.9%
	55-59	Count	309	50	359
		% within Sex	5.2%	4.9%	5.1%
	60-64	Count	146	23	169
		% within Sex	2.4%	2.3%	2.4%
	65-69	Count	60	7	67
		% within Sex	1.0%	.7%	1.0%
	70+	Count	32	11	43
		% within Sex	.5%	1.1%	.6%
	Unknown	Count	1	0	1
		% within Sex	.0%	.0%	.0%
Total	Count	5993	1014	7007	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Dallas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3292	217	3509
		% within Sex	54.9%	21.4%	50.1%
	African American	Count	1732	649	2381
		% within Sex	28.9%	64.0%	34.0%
	Hispanic	Count	909	130	1039
		% within Sex	15.2%	12.8%	14.8%
	Asian-Pacific Islander	Count	38	12	50
		% within Sex	.6%	1.2%	.7%
	Am Indian-Alaskan	Count	21	4	25
		% within Sex	.4%	.4%	.4%
	Not Specified	Count	1	2	3
		% within Sex	.0%	.2%	.0%
	Total	Count	5993	1014	7007
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4439	0	4439
		% within Sex	74.1%	.0%	63.4%
	IDU	Count	348	215	563
		% within Sex	5.8%	21.2%	8.0%
	M-M & IDU	Count	403	0	403
		% within Sex	6.7%	.0%	5.8%
	Hemophiliac	Count	10	0	10
		% within Sex	.2%	.0%	.1%
	Heterosexual Contact	Count	171	365	536
		% within Sex	2.9%	36.0%	7.6%
	Transfusion	Count	23	31	54
		% within Sex	.4%	3.1%	.8%
	Not Classified	Count	586	394	980
		% within Sex	9.8%	38.9%	14.0%
	Ped Hemophiliac	Count	5	0	5
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	5	6	11
		% within Sex	.1%	.6%	.2%
	Ped Transfusion	Count	3	2	5
		% within Sex	.1%	.2%	.1%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Total	Count	5993	1014	7007
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	6	3501	2	3509
		% within Adult-Ped	40.0%	50.1%	100.0%	50.1%
	African American	Count	8	2373	0	2381
		% within Adult-Ped	53.3%	33.9%	.0%	34.0%
	Hispanic	Count	1	1038	0	1039
		% within Adult-Ped	6.7%	14.8%	.0%	14.8%
	Asian-Pacific Islander	Count	0	50	0	50
		% within Adult-Ped	.0%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	0	25	0	25
		% within Adult-Ped	.0%	.4%	.0%	.4%
	Not Specified	Count	0	3	0	3
		% within Adult-Ped	.0%	.0%	.0%	.0%
	Total	Count	15	6990	2	7007
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	21	18	39
		% within Sex	.2%	.9%	.3%
	1 (12-23 mo)	Count	1	5	6
		% within Sex	.0%	.2%	.1%
	2-4	Count	6	3	9
		% within Sex	.1%	.1%	.1%
	5-12	Count	12	6	18
		% within Sex	.1%	.3%	.2%
	13-19	Count	82	93	175
		% within Sex	.9%	4.5%	1.5%
	20-24	Count	540	220	760
		% within Sex	5.6%	10.8%	6.5%
	25-29	Count	1359	355	1714
		% within Sex	14.1%	17.4%	14.7%
	30-34	Count	2218	391	2609
		% within Sex	23.0%	19.1%	22.4%
	35-39	Count	2344	406	2750
		% within Sex	24.3%	19.9%	23.6%
	40-44	Count	1535	238	1773
		% within Sex	15.9%	11.6%	15.2%
	45-49	Count	794	143	937
		% within Sex	8.2%	7.0%	8.0%
	50-54	Count	386	92	478
		% within Sex	4.0%	4.5%	4.1%
	55-59	Count	201	36	237
		% within Sex	2.1%	1.8%	2.0%
	60-64	Count	88	20	108
		% within Sex	.9%	1.0%	.9%
	65-69	Count	24	10	34
		% within Sex	.2%	.5%	.3%
	70+	Count	9	6	15
		% within Sex	.1%	.3%	.1%
	Unknown	Count	7	2	9
		% within Sex	.1%	.1%	.1%
Total		Count	9627	2044	11671
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	1	2
		% within Sex	.0%	.0%	.0%
	1 (12-23 mo)	Count	2	0	2
		% within Sex	.0%	.0%	.0%
	2-4	Count	8	5	13
		% within Sex	.1%	.2%	.1%
	5-12	Count	15	15	30
		% within Sex	.2%	.7%	.3%
	13-19	Count	31	36	67
		% within Sex	.3%	1.8%	.6%
	20-24	Count	220	126	346
		% within Sex	2.3%	6.2%	3.0%
	25-29	Count	601	273	874
		% within Sex	6.2%	13.4%	7.5%
	30-34	Count	1181	346	1527
		% within Sex	12.3%	16.9%	13.1%
	35-39	Count	2087	403	2490
		% within Sex	21.7%	19.7%	21.3%
	40-44	Count	2399	365	2764
		% within Sex	24.9%	17.9%	23.7%
	45-49	Count	1529	206	1735
		% within Sex	15.9%	10.1%	14.9%
	50-54	Count	821	133	954
		% within Sex	8.5%	6.5%	8.2%
	55-59	Count	415	75	490
		% within Sex	4.3%	3.7%	4.2%
	60-64	Count	197	35	232
		% within Sex	2.0%	1.7%	2.0%
	65-69	Count	79	11	90
		% within Sex	.8%	.5%	.8%
	70+	Count	39	13	52
		% within Sex	.4%	.6%	.4%
	Unknown	Count	2	1	3
		% within Sex	.0%	.0%	.0%
Total		Count	9627	2044	11671
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5142	427	5569
		% within Sex	53.4%	20.9%	47.7%
	African American	Count	2888	1316	4204
		% within Sex	30.0%	64.4%	36.0%
	Hispanic	Count	1470	273	1743
		% within Sex	15.3%	13.4%	14.9%
	Asian-Pacific Islander	Count	79	17	96
		% within Sex	.8%	.8%	.8%
	Am Indian-Alaskan	Count	32	7	39
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	16	4	20
		% within Sex	.2%	.2%	.2%
	Total	Count	9627	2044	11671
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6929	0	6929
		% within Sex	72.0%	.0%	59.4%
	IDU	Count	487	361	848
		% within Sex	5.1%	17.7%	7.3%
	M-M & IDU	Count	590	0	590
		% within Sex	6.1%	.0%	5.1%
	Hemophiliac	Count	13	0	13
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	258	681	939
		% within Sex	2.7%	33.3%	8.0%
	Transfusion	Count	29	38	67
		% within Sex	.3%	1.9%	.6%
	Not Classified	Count	1275	931	2206
		% within Sex	13.2%	45.5%	18.9%
	Ped Hemophiliac	Count	10	0	10
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	32	28	60
		% within Sex	.3%	1.4%	.5%
	Ped Transfusion	Count	3	3	6
		% within Sex	.0%	.1%	.1%
	Ped Other-Undet	Count	1	2	3
		% within Sex	.0%	.1%	.0%
	Total	Count	9627	2044	11671
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	18	5547	4	5569
		% within Adult-Ped	25.0%	47.9%	44.4%	47.7%
	African American	Count	40	4160	4	4204
		% within Adult-Ped	55.6%	35.9%	44.4%	36.0%
	Hispanic	Count	13	1729	1	1743
		% within Adult-Ped	18.1%	14.9%	11.1%	14.9%
	Asian-Pacific Islander	Count	1	95	0	96
		% within Adult-Ped	1.4%	.8%	.0%	.8%
	Am Indian-Alaskan	Count	0	39	0	39
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	20	0	20
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Total	Count	72	11590	9	11671
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Dallas